

Applicants : Jeremy A. Fogg et al.
Appln. No. : 10/783,273
Page : 4

Listing of Claims:

1. (original) An automatic vehicle exterior light control system, comprising:
an attachment member and carrier/baffle configured to secure an imager board within approximately 5 degrees and approximately -5 degrees of a desired image sensor optical axis.
2. (original) An automatic vehicle exterior light control system as in claim 1 wherein the control system is configured to self calibrate an image area of an image sensor to compensate for minor image sensor misalignment.
3. (currently amended) An automatic vehicle exterior light control system as in claim 1 wherein said imager board is vertically aligned within approximately 5 degrees and approximately -5 degrees of asaid desired image sensor optical axis.
4. (currently amended) An automatic vehicle exterior light control system as in claim 1 wherein said imager board is horizontally aligned within approximately 5 degrees and approximately -5 degrees of asaid desired image sensor optical axis.
5. (original) An automatic vehicle exterior light control system as in claim 1, said attachment member further comprising a ball for attachment of a rearview mirror assembly.
6. (original) An automatic vehicle exterior light control system as in claim 1 wherein the image sensor and at least one other device selected from the group comprising; an image sensor control logic; an A/D converter; a low voltage differential signal line driver; a temperature sensor; control output; a voltage regulator; a second image sensor; a microprocessor; a moisture sensor and a compass are integrated in a common application specific integrated chip.

Applicants : Jeremy A. Fogg et al.
Appln. No. : 10/783,273
Page : 5

7. (original) An automatic vehicle exterior light control system as in claim 6 wherein said image sensor and said at least one other device are integrated on a common silicon wafer.

8. Cancelled

9. Cancelled

10. Cancelled

11. Cancelled

12. Cancelled

13. Cancelled

14. Cancelled

15. Cancelled

16. Cancelled

17. Cancelled

18. Cancelled

19. Cancelled

20. (currently amended) An automatic vehicle equipment control system, comprising:

Applicants : Jeremy A. Fogg et al.
Appln. No. : 10/783,273
Page : 6

an attachment member and carrier configured to secure an imager board within approximately 5 degrees and approximately -5 degrees of a desired image sensor optical axis, said attachment member and said carrier cooperate to define an actual image sensor optical axis.

21. (original) An automatic vehicle equipment control system as in claim 20 wherein the image sensor and at least one other device selected from the group comprising; an image sensor control logic; an A/D converter; a low voltage differential signal line driver; a temperature sensor; control output; a voltage regulator; a second image sensor; a microprocessor; a moisture sensor and a compass are integrated in a common application specific integrated chip.

22. (original) An automatic vehicle equipment control system as in claim 21 further comprising at least one shim positioned at least partially between said attachment member and said carrier to define a second image sensor optical axis.

23. (original) An automatic vehicle equipment control system as in claim 20 further comprising at least one device selected from the group comprising: an electro-optic mirror element; an ambient light sensor; a glare light sensor; an information display; an indicator; a microphone; a compass; an operator interface; a temperature indicator; a Bluetooth interface; a wireless transceiver; a vehicle bus interface; a passenger side restraint status display and an electro-optic mirror element control.